



Job Name	
Catalog Number	
Notes	Type

CL-12



LENS

- Top grade opal acrylic lens.
- Standard size
- Custom lens are available, please consult factory for minimum quantities and lead times.

APPLICATION

- It's application areas include hallways/corridors, offices. Residential, exterior and hospitality.

HOUSING

- Can be made with almost any material.
- Comes with a standard powder coat finish.
- When powder coated, metal goes through a de-greasing process before painting. Powder coat paint is then applied and baked to ensure longevity.
- Removable face to facilitate servicing and lamp replacement.
- For custom finishes please consult factory.

COMPONENTS

- Ballast is electronic normal power factor and operates at 120v
- UL listed for Damp Location. Available in Wet Location as well.
- High Power Factor and other voltages also available upon request.
- Other options include emergency back up ballast, occupancy sensors, dimming ballasts, photocells and other specifications.
- Consult factory for any special requirements or specifications.



<u>ITEM #</u>	<u>A</u>	<u>B</u>	<u>C</u>	<u>LUMENS</u>	<u>LAMPS</u>
SM-CL-12-13	10.00 in	7.50 in	4.00 in	800	1-13W PL
SM-CL-12-26	10.00 in	7.50 in	4.00 in	1600	1-26W TBX
MD-CL-12-213	12.00 in	9.00 in	4.00 in	1600	2-13W PL
MD-CL-12-226	12.00 in	9.00 in	4.00 in	3600	2-26W QUAD
MD-CL-12-15	12.00 in	9.00 in	4.00 in	1125	1-15W IND
MD-CL-12-23	12.00 in	9.00 in	4.00 in	1840	1-23W IND
LG-CL-12-27	16.00 in	11.00 in	5.00 in	1800	1-27W BIAX
LG-CL-12-227	16.00 in	11.00 in	5.00 in	3600	2-27W BIAX

