



Job Name	
Catalog Number	
Notes	Type

CLW-1029



LENS

- Lens are optional as this fixture does NOT require lens.
- Top and Bottom Lens are optional for this fixture to make it suitable for Wet Location applications.
- Custom lens are available, please consult factory for minimum quantities and lead times.

APPLICATION

- Commonly used in residential and commercial spaces. Can be used in interior and exterior applications such as, hallways/corridors, offices, residential rooms, exterior walls, restaurants.

HOUSING

- Can be made with almost any material.
- Comes with a standard powder coat finish.
- When powder coated, metal material goes through a degreasing process before painting. Powder coat paint is then applied and baked to ensure longevity.
- For custom finishes please consult factory.



COMPONENTS

- Ballast is electronic normal power factor and operates at 120v
- UL listed for Damp Location. Also available in Wet Location.
- High Power Factor and other voltages also available upon request.
- Other options include emergency back up ballast, occupancy sensors, dimming ballasts, photocells and other specifications.
- Consult factory for any special requirements or specifications.



ITEM #	A	B	C	LUMENS	LAMPS
SM-CLW-1029-60I	10.00 in	7.50 in	4.00 in	600	1-60W A-19
SM-CLW-1029-13	10.00 in	7.50 in	4.00 in	800	1-13W PL
SM-CLW-1029-26	10.00 in	7.50 in	4.00 in	1800	1-26W TBX
MD-CLW-1029-213	12.00 in	9.00 in	4.00 in	1600	2-13W PL
MD-CLW-1029-226	12.00 in	9.00 in	4.00 in	3600	2-26W QUAD
MD-CLW-1029-15	12.00 in	9.00 in	4.00 in	1125	1-15W IND
MD-CLW-1029-23	12.00 in	9.00 in	4.00 in	1840	1-23W IND
LG-CLW-1029-32	16.00 in	11.00 in	5.00 in	2400	1-32W TBX
LG-CLW-1029-42	16.00 in	11.00 in	5.00 in	3200	1-42W TBX
LG-CLW-1029-27	16.00 in	11.00 in	5.00 in	1800	1-27W BIAX
LG-CLW-1029-227	16.00 in	11.00 in	5.00 in	3600	2-27W BIAX

